

LISTĂ LUCRĂRI

Articole în reviste de specialitate de circulație internațională recunoscute

Băncilă RI, Pradel R, Choquet R, Plăiașu R, Gimenez O (2018) Using temporary emigration to inform movement behaviour of cave-dwelling invertebrates: a case study of a cave harvestman species. *Ecological Entomology* 43 (5): 551-559.

Plăiașu R, **Băncilă RI** (2008) Fluctuating asymmetry as a bio-marker to account for in conservation and management of cave-dwelling species. *Journal of Insect Conservation* 22: 221-229.

Manu M, **Băncilă RI**, Onete M (2018) Importance of moss habitats for mesostigmatid mites (Acari: Mesostigmata) in Romania. *Turkish Journal of Zoology* 42 (6): 673-683.

Manu M, Onete M, **Băncilă RI** (2018) The effect of heavy metals on mite communities (Acari: Gamasina) from urban parks - Bucharest, Romania. *Environmental Engineering and Management Journal* 17: 2071-2081.

Spani F, Scalici M, Abby-Kalio NJ, Warner GF, Abelló P, Pertierra JP, Reid DG, Adams DC, Rohlf FJ, Slice D, **Băncilă RI**, van Gelder I, Rotteveel E, Loman J, Arntzen JW, Barbaresi S, Cannicci S, Vannini M, Fratini S, Bookstein FL, Brian JV, Daniels SR, Dryden IL, Mardia KV, Duarte MS, Maia-Lima FA, Molina WF, Freire J, Freire J, Sampedro MP, Gonzalez-Gurriaran E, de Gibert JM, Muñiz F, Belaustegui S, Hyžný M, Graham JH, Freeman DC, Emlen JM, Hartnoll RG, Hartnoll RG, Herbst JFW, Idaszkin YL, Márquez F, Nocera AC, Juanes F, Lee KT, McKnight A, Kellogg K, Klingenberg CP, Klingenberg CP, Klingenberg CP, Klingenberg CP, Klingenberg CP, Barluenga M, Meyer A, Klingenberg CP, McIntyre GS, Kovacs PM, Adams JV, Bronte CR, Lezcano AH, Rojas Quiroga ML, Liberoff AL, Van der Molen S, Linnaeus C, Márquez F, Robledo J, Escati Peñalosa G, Van der Molen S, Micheli F, Gherardi F, Vannini M, Mistri M, Rossi R, Fano EA, Nardo GD, Onken H, McNamara JC, Palmer AR, Palmer AR, Strobeck C, Poore GCB, Rohlf FJ, Rufino M, Abelló P, Yule AB, Savriama Y, Klingenberg CP, Scalici M, Gherardi F, Scalici M, Goretti E, Dörr AJM, D'Allestro V, Scalici M, Macale D, Schiavone F, Gherardi F, Gibertini G, Scalici M, Traversetti L, Malafoglia V, Persichini T, Colasanti M, Scalici M, Traversetti L, Spani F, Malafoglia V, Colamartino M, Persichini T, Cappello S, Mancini G, Guerriero G, Colasanti M, Silva IC, Paula J, Spani F, Scalici M, Spani F, Scalici M, Crandall KA, Piras P, Tobo S, Takeuchi Y, Hori M, Van Dongen S, Van Valen L, Vannini M, Gherardi F, Vannini M, Gherardi F, Pirillo M, Zelditch ML, Swiderski DL, Sheets HD, Fink WL (2018) Aggressive communication in *Potamon fluviatile*: role of size, colour and other visual cues. *Crustaceana* 91 (11): 19-26.

Băncilă RI, Cogălniceanu D, Ozgul A, Schmidt BR (2017) The effect of aquatic and terrestrial habitat characteristics on occurrence and breeding probability in a montane amphibian: insights from a spatially explicit multistate occupancy model. *Population Ecology* 59: 71-78.

Cogălniceanu D, **Băncilă RI**, Plăiașu R, Roșioru D, Merilä J (2017) Small-scale spatial and temporal variation of life-history traits of common frogs (*Rana temporaria*) in sub-Arctic Finland. *Polar Biology* 40: 1581-1592.

- Buhaciuc E, Szekely P, **Băncilă RI**, Cogălniceanu D (2017) Food availability influences postmetamorphic growth in two spadefoot toad species (genus *Pelobates*). *Amphibia-Reptilia* 38: 41-48.
- Nae I, **Băncilă RI** (2017) Mesovoid Shallow Substratum (MSS) as biodiversity hotspot for conservation priorities: analysis of oribatid mite (Acari: Oribatida). *Acarologia* 57: 855-868.
- Plăiașu R, Ozgul A, Schmidt BR, **Băncilă RI** (2017) Spatial and sex specific differences in survival probabilities of a cave-dwelling harvestman species. *Animal Biology* 67: 165-176.
- Manu M, **Băncilă RI**, Iordache V, Onete M (2017) Impact assessment of heavy metal pollution on soil mite communities (Acari: Mesostigmata) from Zlatna Depression - Transylvania. *Process Safety and Environmental Protection* 108: 121-134.
- Băncilă RI**, Arntzen, JW (2016) Isolation of lizard populations measured with molecular genetic data - *Podarcis guadarramae* in the Ria de Arosa archipelago. *Amphibia-Reptilia* 37: 446-449.
- Moga CI, Samoilă C, Öllerer K, **Băncilă RI**, Réti K-O, Craioveanu C, Poszter S, Rákosy, Hartel T (2016) Environmental determinants of the old oaks in wood-pastures from a changing traditional social-ecological system of Romania. *Ambio* 45: 480-489.
- Băncilă RI**, Ozgul A, Hartel T, Sos T, Schmidt BR (2015) Direct negative density- dependence regulating the population dynamics of a pond-breeding frog. *Ecography* 39: 449-455.
- Manu M, Iordache V, **Băncilă RI**, Bodescu F, Onete M (2015) The influence of environmental variables on soil mite communities (Acari: Mesostigmata) from overgrazed grassland ecosystems-Romania. *Italian Journal of Zoology* 83: 89-97.
- Băncilă RI**, Cogălniceanu D, Plăiașu R, Tudor M, Cazacu C, Hartel T (2014) Comparative performance of incidence based species richness estimators in herpetofauna inventory. *Ecological Indicators* 45: 219-226.
- Buică G, **Băncilă RI**, Tudor M, Plăiașu R, Cogălniceanu D (2014) The injuries on tortoise shells' as a depository of past human impact. *Italian Journal of Zoology* 21: 287-297.
- Nitzu E, Nae A, **Băncilă RI**, Popa I, Giurginca A, Plăiașu R (2014) Scree habitats: ecological function, species conservation and spatial-temporal variation in the arthropod community. *Systematics and Biodiversity* 12 (1): 65-75.
- Hartel T, Sos T, Popescu V, **Băncilă RI**, Cogălniceanu D, Rozylowic L (2014) Amphibian conservation in traditional cultural landscapes: the case of Central Romania. *North-Western Journal of Zoology* 10: S51-S61.
- Manu M, Onete M, **Băncilă RI** (2014) The effect of heavy metals on mite communities (Acari - Gamasina) from urban parks - Bucharest, Romania. *Environmental Engineering and Management Journal* 143: 30-41.

Cogălniceanu D, Székely P, Székely D, Roșioru D, **Băncilă RI**, Miaud C (2013) When males are larger than females in ectotherms: Reproductive Investment in the Eastern Spadefoot Toad *Pelobates syriacus*. *Copeia* 4: 699-706.

Manu M, **Băncilă RI**, Onete M (2013) Soil mite communities (Acari: Gamasina) from different ecosystem types from Romania. *Belgian Journal of Zoology* 143: 30-41.

Balázs V, Kovács V, **Băncilă RI**, Hartel T, Anthony B (2013) A landscape-level study on the breeding site characteristics of ten amphibian species in Central Europe. *Amphibia-Reptilia* 34: 63-73.

Plăiașu R, Vörös J, **Băncilă RI** (2012) Fluctuating asymmetry as a tool in identifying population stress in Hungarian populations of *Bombina bombina*, *B. variegata* and their hybrids. *Acta Zoologica Academiae Scientiarum Hungaricae* 58: 361-368.

Cogălniceanu D, **Băncilă RI**, Plăiașu R, Samoilă C, Hartel T (2012) Aquatic habitat use by amphibians with specific reference to *Rana temporaria* at high elevations (Retezat Mountains National Park, Romania). *Annales de Limnologie - International Journal of Limnology* 48: 355-362.

Băncilă RI, Plăiașu R, Tudor M, Samoilă C, Cogălniceanu D (2012) Fluctuating asymmetry in the Eurasian Spur-Thighed Tortoise, *Testudo graeca ibera* Linneaus, 1758 (Testudines: Testudinidae). *Chelonian Conservation and Biology* 11: 234-239.

Plăiașu R, **Băncilă RI**, Samoilă C, Hartel T, Cogălniceanu D (2012) Waterbody availability and use by amphibian communities in a rural landscape. *Herpetological Journal* 22: 13-21.

Hartel T, **Băncilă RI**, Cogălniceanu D (2011) Spatiotemporal variability of aquatic habitat use by amphibians in a hydrologically modified landscape. *Freshwater Biology* 11: 228-229.

Băncilă RI, Van Gelder I, Rotteveel E, Loman J, Arntzen JW (2010) Fluctuating asymmetry is a function of population isolation in island lizards. *Journal of Zoology* 282: 266-275.

Băncilă RI, Hartel T, Plăiașu R, Smets J, Cogălniceanu D (2010) Comparing three body condition indices in amphibians: a case study of yellow-bellied toad *Bombina variegata*. *Amphibia-Reptilia* 31: 558-562.

Articole în reviste recunoscute de către CNCSIS

Vlaicu M, Munteanu CM, Giurginca A, Goran C, Marin C, Plăiașu R, **Băncilă RI**, Tudorache A (2010) Geological and ecological assessment of the exposure degree of the Zăton-Bulba karst system (Mehedinți Plateau) to the anthropogenetic hazards: intrinsic vulnerability and biodiversity study. *Travaux de l'Institut de Spéléologie "Emile Racovitza"* 49: 149-164.

Plăiașu R, **Băncilă RI**, Samoilă C, Cogălniceanu D (2010) Distribution and habitat use by amphibian communities in Retezat National Park. *Travaux du Museum d'Histoire Naturelle "Grigore Antipa"* 53: 469-478.

Plăiașu R, **Băncilă RI**, Samoilă C, Cogălniceanu D (2010) Factors influencing the breeding habitat use by amphibians in the alpine area of the Retezat National Park (Romania). *Travaux du Museum d'Histoire Naturelle "Grigore Antipa"* LIII: 469-478.

Plăiașu R, **Băncilă RI**, Samoilă C. (2009) Opilionide din Parcul Național Munții Măcin. *Scientific Studies and Research. Series Biology*, Bacău 17: 71-73.

Băncilă RI, Plăiașu R, Cogălniceanu D (2009). Effect of latitude and altitude on body size in the common frog (*Rana temporaria*) populations. *Scientific Studies and Research. Series Biology*, Bacău 17: 43-46.

Băncilă RI, Plăiașu R (2009) Sampling efficiency of pitfall traps and Winkler extractor for inventory of harvestmen (Arachnida: Opilionidae). *Travaux de l'Institut de Speologie "Emile Racovitză"* t. XLVIII: 59-67.

Cogălniceanu D, **Băncilă RI**, Samoilă C, Hartel T (2008) The current distribution of herpetofauna in Maramureș County and Maramureș Mountains Natural Park, Romania. *Transylvanian Review of Systematical and Ecological Research* 5: 189-200.

Plăiașu R, **Băncilă RI** (2008) The harvestmen fauna (Arachnida: Opiliones) from the Maramureș Mountains Natural Park. *Transylvanian Review of Systematical and Ecological Research* 5: 59-62.

Plăiașu R, **Băncilă RI**, Hartel T, Cogălniceanu D (2005) The use of digital images for the individual identification of amphibians. *Scientific Studies and Research. Series Biology*, Bacău 10: 137-140.

Alte publicații

Plăiașu R, **Băncilă RI**, Cogălniceanu D (2010) Body size variation in *Rana temporaria* populations inhabiting extreme environments. *Analele Universității Ovidius, Seria Biologie-Ecologie* 14: 121-126.

Hartel T, Öllerer K, Farczády L, Monga C, **Băncila RI** (2009) Using species detectability to infer distribution, habitat use and absence of a cryptic species: the smooth snake (*Coronella austriaca*) in Saxon Transylvania. *Acta Scientiarum Transylvanica* 17: 61-76.

Vlaicu M, Munteanu CM, Goran C, Marin C, Giurgincă A, Plăiașu R, **Băncilă RI**, Tudorache A (2007) Multiproxy approach to vulnerability assessment of karst ecosystems from the Ponoarele test area (Mehedinti Plateau, Romania). *Proceedings of the XXXV IAH Congress* (Lisbon).

Cogălniceanu D, **Băncilă RI**, Samoilă C, Hartel T, Tudor M (2007) The herpetofauna of the Maramureș Mountains Natural Park. *Proceeding of the 1st International Conference Environment - Natural Sciences - Food Industry in European Context*, Baia Mare, România.

30. 01. 2019

